



INDEX MAPS.

T. 27N, R. 10E. 2nd Mer.



T. 28N, R. 10E. 2nd Mer.



The figures on the lines refer to the page.

Township 27 North, Range 10 E. 2nd Ma. Ind.

Ch. Lk.

South Boundary.

Var. 6.0 E.

West On South side of Sec 36,
40.00 Set gr. Sec. post, from which
a Hickory 24 in. dia. bears S 85 W, 10 lb. dist. &
an Elm 20 in. dia. " S 67 E, 30 " "
55.36 a Beech 24 in. dia.
80.00 Set post, for cor. of Sec. 35 & 36, fr. wh.,
a Beech 15 in. diam. bears N 72 W, 32 lb. &
a Do. 18 " " " S 46 E, 24 lb. dist.
Land, rich. Timb. Beech, Ash, &c.

West On S. side of Sec. 35.
40.00 Set gr. Sec. post, from which
a wh. Oak 8 in. diam. bears N 30 W, 17 lb.
an Elm 24, " " " N 45 E, 12 "
51.24 a Bl. Oak 18 in. diam.
80.00 Set post, for cor. To Sec. 34 & 35, fr. wh.
a Maple 13 in. dia. bears N 25 W, 9 lb. dist.
an Elm 8 " " " N 80 E, 22 " "
Land, wet, Timb. Maple, Ash &c.

West On S. side of Sec 34.
30.20 a Hickory 20 in. dia.
40.00 Set gr. Sec. post, from which
an Ash 12 in. dia. bears N 72 W, 15 lb. dist.
& a Hickory 20 in. dia. bears S 60 E, 14 " "
80.00 Set post, cor. To Sec. 33 & 34, fr. wh.
an Elm 14 in. dia. bears N 38 W, 18 lb. dist. &
a Beech 16 " " " N 38 E, 17 " "
Land, rich. Timb. Beech and Ash.

West On S. side of Sec. 33.
32.60 a Hickory 24 in. diam.
40.00 Set gr. Sec. post, from which
a Sugar 22 in. dia. bears S 74 W, 27 lb. dist. &

T27N R10E, 2nd Men. Ind.^a

Ch. M. a Beech 15 in. dia. bears S 69 E, 32 lb. dist.
 70.78 a Lym 30 in. "
 80.00 Set post, cor. of sec. 32 & 33, fr. wh.
 a Beech 18 in. dia. bears S 76 W, 22 lb. dist.
 a Wh. Oak 20 in. " " East 18 " "
 Land &c, the same.

West On S. side of Sec. 32.

3.45 an Elm 30 in. dia.
 40.00 Set gr. sec. post. from which
 a Maple 20 in. dia. bears N 78 W, 12 lb.
 & a Wh. Oak 8 " " " N 59 E, 7 "
 75.75 a Beech 12 in. dia.
 80.00 Set post, cor. of sec. 31 & 32, fr. wh.
 a Beech 14 in. dia. bears S 88 W, 32 lb. dist.
 a Do. 30 " " " N 45 E, 20 " "
 Land &c, the same.

West On S. side of Sec. 31.

4.30 a Beech 10 in. diam.
 33.50 a Brook 12 lb. wide course N. W.
 40.00 Set gr. sec. post, from which
 an Ironwood 5 in. diam. N 72 W, 6 lb. dist.
 a Do. 7 " " " bears N 64 E, 19 " "
 79.60 Intersected North line bet. T. 26 & 27
 N. R. 9 & 10 E.
 Land, rich. Timb. Beech, Oak and
 Ash.

March 31st 1820.

Surveyed By John G. M^cDonald
 J. S.

East Boundary.

Var. 6th 00th E.

North On E. side of sec. 36.

40.00 Set gr. sec. post, from which

69

T. D. N. Ry. 10 E. Men. Ind. a

ch. Lk. a Beech 12 in. diam. bears S 65 W. 4 lb. dist.
 a Lym 8 " " " N 66 E. 25 " "
 50.50 a Brook 10 lb. wide crs. N. E.
 80.00 Set post cor. to Sec. 25 & 36, fr. wh.
 a Beech 11 in. diam. bears S 15 W. 20 lb. dist.
 an Ironwood 7 in. dia. " N 1 W. 20 " "
 Over good farming land. Timber,
 Beech, Sugar, Ash &c. undergrowth
 Spice.

North on East side of Sec. 25.

40.00 Set gr. sec. post, from which
 a Beech 14 in. dia. bears S 13 W. 21 lb. dist. &
 a Do. 12 " " " N 30 E. 18 " "
 80.00 Set post, cor. of Sec. 24 & 25, fr. wh.
 a Box elder 8 in. diam. bears N 52 W. 11 lb. dist.
 a Beech 10 " " " N 85 E. 13 " "
 Land &c, The same.

North on East side of Sec. 24.

40.00 Set gr. sec. post, from which
 an Oak 10 in. dia. bears S 32 W. 17 lb. dist.
 & a Do. 9 " " " N 29 E. 21 " "
 80.00 Set post, cor. of Sec. 13 & 24, fr. wh.
 a Beech 13 in. dia. bears S 15 W. 17 lb. dist.
 & a Do. 12 " " " N 9 W. 12 " "
 Land, not noted.

March 30th 1820.

North on East side of Sec. 13.

40.00 Set gr. sec. post, from which
 a Buckeye 14 in. diam. bears N 33 W. 27 lb. &
 a Beech 24 in. " " S 15 E. 9 lb. dist.
 40.30 a Creek 100 lb. wide course W.
 80.00 Set post, cor. of Sec. 12 & 13, fr. wh.
 an Oak 10 in. diam. bears S 4 E. 30 lb. &

T. 27 N. R. 10 W. 2nd Ma. Ind^a.

Ch. Lk. an aspen 8 in. diam. bears N. 44 W. 22 lb. dist.
Land &c, as before.

North On East side of Sec. 12.

- 12.29 Intersect Ind. reserve & W. line &
set post, from which
an Oak 14 in. diam. bears S 32 E, 7 lb. dist.
a Beech 8 " " " N 61 W, 21 " "
40.00 Set 1/2 mile post, from which
a Dogwood 7 in. diam. bears S 56 E, 29 lb. &
a Beech 18 " " " S 71 W, 27 "
79.00 a Brook 8 lb. wide crs. N. E.
80.00 Set post, cor. of Sec. 1 & 12, fr. wh.
a Buckeye 15 in. dia. bears S 20 W, 32 lb. &
an Elm 14 " " " N 12 W, 15 "
Land, rich.

North On East side of Sec. 1.

- 15.03 Intersect Wabash River & set post
from which
an ash 13 in. dia. bears N 40 W, 14 lb. &
a Do. 14 " " " S 5 E, 18 " dist.
18.00 Set post on the N. Bank of River, fr. wh.
an Oak 8 in. dia. bears S 82 W, 27 lb. dist.
& a Do. 5 " " " S 58 W, 3 " "
River runs N. W.
40.00 Set qv. sec. post, from which
a Hickory 12 in. dia. bears S 22 W, 25 lb. dist.
a Do. 5 " " " N 65 E, 5 " "
83.30 Set post, for cor. T. 27 & 28 N. R. 10 &
11 E. from which
an ash 12 in. dia. bears N 48 E, 14 lb. dist. &
a Do. 10 " " " S 60 W, 6 " "
Land, rich. Limb^r Beech, Sugar &c.
Surveyed in March 1820.
By John G. M. Donald, D.S.

71

T. 27 N. R. 10 E. Mer 2nd Ind. a

Ch. No.

North Boundary.

Var. 6° 15' E.

- West On South side of Sec 36. T. 28 N. R. 10 E.
 40.00 Set gr. sec. post, from which
 a Sugar 18 in. dia. bears S 80 E. 25 lb. dist. &
 a honywood 10 in. dia. bears N 8 W. 8 lb.
 80.00 Set post, cor. sec. 36 & 37, fr. which
 a wh. Oak 36 in. dia. bears N 50 E. 24 lb. dist.
 a Beech 24 " " " S 59 W. 35 " "
 Land, rich. Timber, Beech, Sugar,
 Oak and Hickory.

- West On South side of Sec. 35. T. 28 N. R. 10 E.
 40.00 Set gr. sec. post, from which
 a Maple 18 in. dia. bears S 55 E. 16 lb. dist.
 a Hickory 24 in. dia. " N 15 W. 11 " "
 43.66 a wh. Oak 24 " "
 80.00 Set post, for cor. of sec. 34 & 35, fr. wh.
 a Sugar 24 in. dia. bears N 89 W. 10 lb. dist. &
 a Do. 10 " " " S 24 W. 17 " "
 Land. m

- West On South side of Sec. 34. T. 28 N. R. 10 E.
 15.00 Intersect Wabash River & Set post
 from which
 a Spruce 12 in. diam. bears S 55 E. 5 lb. dist.
 & Do. 12 " " " N 15 W. 35 " "
 2 ch. to Island 6 ch. 50 lb. wide
 4 ch. & 50 lb. across River.
 28.00 set post, from which
 a Sycamore 24 in. dia. bears N 85 E. 35 lb. dist.
 a Do. 36 " " " N 81 W. 16 " "
 32.00 Intersect River, set post, from wh.
 a Buckeye 10 in. dia. bears N 40 E. 29 lb. dist. &
 a Sycamore 36 in. " " S 16 W. 49 " "
 40.00 Set gr. sec post, from which

T. 27 N. R. 10 E. 2nd Mer Ind.

Ch. 16. No Bearings in River.

- 72.68 Set post, from which
a Beech 10 in. diam. bears S 59 W, 10 M. dist. &
a Do. 11 " " " N 20 E, 9 " "
78.00 Intersect River, set post, from wh.
a Buckeye 10 in. diam. bears N 50 E, 17 M.
a Do. 11 " " " S 3 W, 28 "
80.00 Set post cor. to Secs 33 & 34, in River.

West on South side of Sec. 32. S. 28 N. R. 10 E.

- 1.33 Set post, from which
a Sugar 12 in. diam. bears N 21 E, 14 M. &
a Hickory 10 " " " S 74 W, 4 M. dist.
40.00 Set qv. sec. post, from which
an Iron wood - in. dia. bears N 84 E, 16 M. dist.
4a Buckeye 10 " " " S 83 W, 16 " "
52.10 To River set post, from which
a Buckeye 10 in. dia. bears N 33 W, 23 M. &
a Sycamore 36 in. dia. " S 81 E, 60 "
57.20 Set post, from which
a Buckeye 10 in. diam. bears N 33 W, 17 M. &
a Beech 18 " " " S 7 E, 13 "
80.00 Set post, for cor. to Secs 32 & 33.
a Beech 30 in. dia. bears S 75 E, 29 M. dist. &
a Walnut 10 in. " " S 69 W, 19 " "
Land, not noted.

West on S. side of Sec 32. S. 28 N. R. 10 E.

- 40.00 Set qv. sec. post, from which
an Ash 36 in. dia. bears N 40 E, 5 M. dist. &
a Beech 12 " " " S 56 W, 17 " "
80.00 Set post, cor. Secs 31 & 32, fr. wh.
a Beech 10 in. dia. bears N 55 E, 5 M. dist. &
a Do. 8 " " " S 15 E, 12 " "
Land, as above.

T. 27 N. R. 10 E. 2nd Mer Ind. a

West on South side sec. 31. T. 28 N. R. 10 E.
 15.00 a Branch 15 lb. wide crs. N.W.
 40.00 Set op. sec. post. from which
 a Beech 10 in. diam. bears S 6 E. 28 lb. dist. &
 a Beech 10 " " " N 63 W. 21 " "
 March 24th 1820.

80.00 Town Cor.
 Land not noted.

Surveyed by
 John M. Donald
 Dep. Sur.

West Boundary.

North on East side of sec. 36. T. 27 N. R. 9 E.
 9.50 a Branch 15 lb. wide crs. S.W.
 11.31 a Beech 24 in. dia.
 40.00 Set op. sec. post. from which
 a Beech 24 in. dia. bears S 22 W. 49 lb. dist. &
 an Ironwood 8 in. dia. N 32 E. 10 " "
 80.00 Set post. for Cor. of sec. 25 & 36, fr.
 a Beech 24 in. dia. bears N 75 E. 24 lb. dist. &
 a Dogwood 8 in. dia. " N 68 W. 8 " "
 Land rich, Limb. Beech, Sugar, &c.

North On E. side on sec. 25. T. 27 N. R. 9 E.
 23.50 an Ironwood 10 in. diam.
 40.00 Set op. sec. post. from which
 a Beech 36 in. dia. bears S 10 E. 25 lb. dist. &
 a Do. 24 " " " N 63 W. 14 " "
 73.00 a Walnut 24 in. diam.
 80.00 Set post. Cor. Sec. 24 & 25, fr. wh.
 a Beech " in. dia bears S 40 E. 21 lb. dist. &
 a Do. 24 " " " N 27 W. 6 " "
 Land, as above.

T. 27 N. R. 10 E. 2nd Mer. Ind. u

North On East side of sec. 24 T. 27 N. R. 9 E.
 34.00 a Beech 24 in. dia.
 40.00 Set gp. sec. post. from which
 a Beech 12 in. dia. bears N 61 E 31 lb. dist. &
 a Do. 5 " " " N 74 W. 14 " "
 80.00 Set post. cor. to sec. 24 & 15, fr. wh.
 a Maple 9 in. dia. bears S 82 W. 31 lb. dist. &
 a Hickory 17 in. " " S 76 E. 8 lb. "
 Land, same.

North On E. side of Sec. 13. T. 27 N. R. 9 E.
 40.00 Set gp. post. from which
 an Ash 20 in. dia. bears N. 76 E. 3 lb. dist. &
 a Beech 8 " " " S 47 W. 18 " "
 58.57 an Ash 10 in. "
 80.00 Set post. cor. to sec. 12 & 13, fr. wh.
 a Hickory 12 in. dia. bears S 43 W. 22 lb. dist.
 a Beech 18 " " " S 85 E. 12 " "
 Land, as above.

North On E. side of sec 12. T. 27 N. R. 9 E.
 40.00 Set gp. sec post from which
 an Ash 16 in. dia. bears S 11 E. 15 lb. dist. &
 a Beech 24 " " " N 10 E. 26 " "
 80.00 Set post. cor. sec. 10 & 12, from which
 an Ironwood 8 in. diam. bears S 67 E. 10 lb.
 a Do. 10 " " " N 45 W. 7 "
 Land, as above.

North On E. side of Sec 1. T. 27 N. R. 9 E.
 40.00 Set gp. sec. post. from which
 a Beech 10 in. dia. bears S 85 E. 17 lb. dist. &
 a Sugar 8 " " " N. 45 W. 3 " "
 83.50 Set post. cor. of T. 27 & 28 N. R. 9 E.
 10 E. cor. to sec. 1, 6, 31 & 36, fr. wh.

75

T. L. N. No. 10 E. Men. 2nd Indiana.

ch. Lk. a Hawthorn, dia. bears N 40 E 20 lb. dist. &
 a Red Oak 12 in dia. bears S 20 E, 18 lb. dist.
 Land, rich. Timb. Beech, Sugar Ash,
 Undergrowth Spice etc.
 surveyed in 1820 by
 John M. Donald, D. S.

Subdivisions.

Var. 6° 00' E.

North Between Sec. 35 & 36.

18.70 a Beech 6 in. diam.

26.00 a Do. 10 " "

40.00 Set gp. sec. post, from which
 a Beech 14 in. diam. bears S 59 W, 23 lb. dist.
 a Do 10 " " " N 15 E, 22 " "

57.74 a Bl. Walnut 30 in. diam.

80.00 Set post cor. to sec. 25, 26, 35 & 36, fr. wh.
 a Hickory 24 in. diam. bears N 83 W, 1 lb. &
 a Beech 9 " " " S 21 E, 18 "
 Land, level 2nd rate. Timb. (Spice
 Ash & undergrowth) Oak, Hickory, &
 Ash. &c. &c.

East On a random between sec. 25 & 36.

40.00 Set gp. sec. post from (Temp 4.)

79.24 Intersected E. line 1 ch. S. of post.
 Land _____

West Correct between Sec. 25 & 36.

39.62 Set gp. sec. post from which

a Bl. Ash 9 in. diam. bears S 82 W, 24 lb. dist. &

a Burr Oak 7 in. diam. bears S 80 E, 6 lb. dist.

(79.24 sec. lev.)

North Between bet. Sec. 25 & 26.

14.80 a Hickory 24 in. diam.

T. E. N. P. 10 E. 2nd Mer. Indiana.

31.00 an S. Ash 20 in. dia.
 40.00 Set gp. sec. post, from which
 a Beech 18 in. dia. bears South 66 W. dist. &
 a Do. 16 " " " N 28 W. 28 " "
 53.75 a Hickory 21 in. dia.
 80.00 Set post, Cor. To Sec. 23, 24, 25 & 26,
 from which
 an Elm 10 in. dia. bears South 4 W. dist. &
 a Do. 4 " " " N 88 W. 5 " "
 Land, level 2nd rate. Timber &c.
 the same.

East an Random Bet. Sec. 24 & 25.
 40.00 Set temporary gp. post.
 79.91 Intersected E. line 125 W. S. of Post
 Land. —

West Corner line Bet. Sec. 24 & 25.
 39.95 1/2 Set gp. sec. post, from which
 a Beech 36 in. dia. bears N. 41 E. 14 W. dist. &
 an Ironwood 8 in. dia. bears S 85 W. 19 "
 79.91 Sec. Cor.

North Between Sec. 23 & 24.

14.42 a Sugar 15 in. diam.
 21.50 a Stream 17 W. wide course N. E.
 26.53 a Bl. Ash 18 in. diam.
 40.00 Set gp. sec. post from which
 a Bl. Ash 7 in. diam. bears S 34 W. 22 W. dist.
 & a W. Oak 21 in. " " N 22 E. 26 " "
 50.85 an ash 18 in. diam.
 52.50 a Stream 13 W. wide crs. E.
 80.00 Set Post, Cor. To Sec. 13, 14, 23 & 24, fr. wh.
 a Dogwood 5 in. diam. bears N 2 E. 42 W. &
 an Ironwood 8 in. " " N 49 W. 14 "
 Land. —

77

T. 27 N. R. 10 E. 2nd Mer. Indiana...

East On Random Bet. Sec. 13 & 24.
 40.00 Set gp. Sec. post, Temp'y.
 41.50 a Stream 34 lks. wide crs. N.
 80.00 Intersect E. line 135 lks. S. of post.
 Land, _____

West Connect line Bet. Sec. 13 & 24.
 40.00 Set gp. Sec. post, from which
 a Bl. Ash 7 in. dia. bears N 78 E. 31 lks. &
 a Buckeye 4 " " " S 72 W. 15 "
 80.00 Sec. Cor.

North Between Sec. 13 & 14.
 10.55 a Wh. Oak 15 in. diam.
 22.12 a Do. 36 " "
 40.00 Set gp. Sec. post, from which
 a Bl. Ash 10 in. dia. bears N 48 E. 3 lks. dist.
 a Buckeye 12 " " " S 48 W. 19 " "
 44.12 a Stream 12 lks. wide course N. E.
 55.00 a Do. 1 ch. wide " S. W.
 57.00 a Wh. Oak 30 in. diam.
 80.00 Set post, Cor. To Sec. 11, 12, 13 & 14,
 from which
 a Wh. Oak 36 in. dia. bears N 57 W. 3 lks. dist.
 an Ironwood 3 " " " S 3 E. 26 " "
 Land, _____

East On Random Bet. Sec. 12 & 13.
 40.00 Set gp. Sec. post, Temp'y.
 79.90 Intersected E. line 145 lks. E. of post.
 Land, _____

West Connect line Bet. Sec. 12 & 13.
 38.95 Set gp. Sec. post, from which
 an Ash 4 in. dia. bears S 43 W. 14 lks. dist. &
 a Do. 4 " " " N 42 E. 09 " "

T. 27 N. R. 10 E. 2nd Mer. Indiana.79.90 Sec. cor. Sept. 25th 1893.

North Between Sec. 11 & 12.

16.74 Intersect Indian Reserve & set post
 cor. to fac. sec 11 & 12, fr. wh.
 a Dogwood 5 in. dia. bears N 6 E, 38 lb. dist. &
 an Ironwood 4 " " " S 8 E, 7 " "
 Land, ---

North Between sec. 34 & 35.

21.17 a Bl. Ash 18 in. dia.

40.00 Set up. sec. post, from which
 a Beech 24 in. dia. bears S 11 E, 30 lb. dist.
 a Do. 16 " " " N 6 W, 28 " "

68.60 a Do. 24 " "

80.00 Set post, cor. to sec. 26, 27, 34 & 35, fr. wh.
 a Beech 8 in. dia. bears S 50 E, 11 lb. dist. &
 a Hickory 30 in. " " N 25 W, 11 " "
 Land, level and 2nd rate. " Limb.
 Hickory, Ash & Beech. N. G. Ash,
 Ironwood and Spice.

East On Random bet. Sec. 26 & 35.

40.00 Set up. sec. post, from which
 Temp. post No Bearings

80.30 Intersect E. line 44 lb. S. of post.
 Land, ---

West Correct line bet. Sec. 26 & 35.

40.00 Set up. sec. post, from which
 an Elm 9 in. diam. bears N 55 E, 4 lb. dist.
 & an Ironwood 4 in. diam. S 68 W, 13 " "

80.30 Sec. cor.

North Between Sec. 26 & 27.

26.80 a Hickory 20 in. diam.

79

T. 27 N. R. 10 E. 2^d M^{er}. Indiana.

- 40.00 Set q^r. sec. post, from which
a Beech 22 in. dia. bears S 3 E 30 W. dist. 7
a Hickory 22 " " " N 22 W. 18 " "
- 46.56 a stream 16 l^{ts}. wide crs. N.W.
- 61.85 a Beech 24 in. diam.
- 80.00 Set post cor. to sec. 22, 23, 26 & 27
a Beech 12 in. diam. bears N 13 W. 31 W. dist. 4
a Hickory 4 in. " " N 45 W. 16 " "
Land, ~

- East Between sec. 25 & 26 on random.
- 40.00 Set q^r. sec. post, empty.
- 80.00 Intersect E. line 33. S. l^{ts}. of West.
Land, ~

- West Corner Between sec. 23 & 26.
- 40.00 Set 1/4 sec. post, from which
a L^{ar}ch 18 in. diam. bears S 28 W. 8 l^{ts}.
an Ironwood 5 in. " " N 44 E. 30 " dist.
- 80.00 Sec. cor.

- North Between sec. 22 & 23.
- 15.16 a Hickory 12 in. diam.
- 25.43 a S. Ash 18 " "
- 40.00 Set q^r. sec. post, from which
a Sugar, 8 in. dia. bears about S 13 W. dist. 4
a Hickory 21 " " " North, 11 " "
- 40.50 a stream 15 l^{ts}. wide course N.W.
- 63.50 a Do 17 " " " N.W.
- 63.73 a Beech 15 in. diam.
- 64.15 a Branch 16 l^{ts}. wide N.E.
- 64.60 a Do. 16 " " " N.W.
- 80.00 Set post, to cor. sec. 14, 15, 22 & 23
a W. Oak 10 in. dia. bears S 15 W. 11 W. dist.
a Beech 4 " " " N 12 E. 13 " "
Land. ~

P. D. N. R. 10 E. 2nd Mer. Ind.

East Between Sect. 14 & 23 on random.
 40.00 Set gr. Sec. post. from which
 79.93 Intersect E. line 22 lb. S. of post.
 Land, ---

West Correct Line Bet. Sect. 14 & 23.
 39.96¹/₂ Set gr. Sec. post. from which
 a Hickory 16 in. diam. bears S 7 E, 8 lb. dist. &
 an Elm 4 " " " N 41 W, 14 " "
 79.93 Sec. cor.

North Between Sect. 14 & 15.
 22.50 a stream 20 lb. wide course N.E.
 22.73 a Wh. Oak 14 in. diam.
 36.44 an Ironwood 8 " "
 40.00 Set gr. Sec. post. from which
 a Hickory 20 in. dia. bears 42 E, 30 lb. dist. &
 a Do. 22 " " " N 10 W, 18 " "
 Sept. 26th 1820.
 52.50 a Branch 18 lb. wide crs N.E.
 80.00 Set post gr. to Sect. 10, 11, 14 & 15, fr. wh.
 a Dogwood 3-in. dia. bears N 6 W, 11 lb. dist. &
 a Wh. Walnut 4 " " " N 18 E, 15 " "
 Land, ---

East On Random bet. Sect. 11 & 14.
 68.50 Flat rock creek 60 lb. wide crs. N.
 80.14 Intersect E. line 50 lb. S. of post.
 Land. ---

West Correct line bet. Sect. 11 & 14.
 40.07 Set gr. Sec. post. from which
 a Buckeye 6 in. dia. bears N 60 E, 2 lb. dist. &
 a S. ash 8 " " " S 81 W, 28 " "
 80.14 Sec. cor.

T. 27 N. R. 10 E. 2nd Mer. Indiana.

North Between Sect. 10 & 11.

6.34 a Stream 40 lb. wide Course N.E.

a Beech 24 in. diam.

19.22 32 ch. 50 lb. from the S.W. Cor. of the
 Reserve, Intersected Reserve Line &
 Set post, from which
 a Beech 24 in. dia. bears S 4th W. 41 lb. dist. &
 a Do. 18 " " " N 50th W. 9 " "
 Land, ~ Sept. 27th 1820.

South Between Sect. 1 & 2.

15.35 a Beech 18 in. diam.

30.91 a Bl. Ash 24 in. "

39.32 a Stream 22 lb. wide Course S.E.

40.00 Set gr. sec. post, from which

a Beech 21 in. dia. bears N 15th E. 18 lb. dist. &a Bl. Ash 4 in. dia. S 37th E. 36 " "

52.43 a Hickory 12 " "

54.74 a Stream 24 in. diam. Crs. W.

63.36 Wabash River and Set post, fr. wh.
 a wh. Oak 10 in. diam. S 48th E. 8 lb. dist. &
 a Do. 8 " " N 66th W. 13 " "
 Land, ~

South Between Sect. 2 & 3.

9.42 a Sugar 21 in. diam.

19.80 Intersected Wabash River and Set post
 from which
 an Ironwood 8 in. dia. bears East 5 lb. dist
 a Do. 5 " " " N 56th W. 14 " "
 Land, ~

North Between Sect. 33 & 34.

18.44 a N. Oak 40 in. diam.

40.00 Set gr. sec. post, from which

a N. Oak 40 in. diam. bears S 35th W. 4 lb. &

T. 27 N. R. 10 E. 2 E. Mpa. Indiana.

ch. M. a Hickory 10 in. dia. bears N 15 W. 14 lb.
 51.03 a Bl. Ash 18 " "
 64.35 a Beech 15 " "
 80.00 Set post cor. to sec. 27, 28, 33 & 34. fr. wh.
 a Bl. Ash 12 in. dia. bears S 18 W. 9 lb. dist. &
 an Iron rod 7 " " " N 15 W. 8 " "
 Land &c, —

East on Random bet. Sec. 27 & 34.
 40.00 Set gr. sec. post, Temp'y.
 79.50 Intersect E. line 50 lb. S. of post
 Land, &c, —

West corner line bet. Sec. 27 & 34.
 39.75 Set gr. sec. post, from which
 a Beech 14 in. dia. bears N 42 E. 24 lb. dist.
 a Do. 18 " " " S 74 W. 22 " "
 79.50 Sec. cor.

North Between Sec. 27 & 28.
 30.41 a Beech 20 in. diam.
 40.00 Set gr. sec. post, from which
 a Beech 20 in. diam. bears S. W. 48 lb. dist. &
 Lynn 9 " " " North 66 " "
 55.10 a White Oak 18 in. diam.
 75.90 a Beech 15 " "
 80.00 Set post, cor. to Sec. 21, 22, 27 & 28.
 a S. Ash 15 in. dia. bears S. 18-38 lb. dist.
 a Buckeye 12 " " " N 75 W. 52 " "
 Land, —

East on Random Between Sec. 22 & 27.
 40.00 Temp'y. gr. sec. post.
 80.00 Intersected E. line 50 lb. S. of post.
 Land, —

83

S. 27 N. R. 10 E. 2nd Mer. Indian.

West correct line bet. Sec. 22 & 27.
 40.00 Set q. sec. post, from which
 a Spruce 24 in. dia. bears N 41 W, 2 lb. dist.
 an Ironwood 3 in " " S 78 E, 5 " "
 80.00 sec. cor.

North Between Sec. 21 & 22.

2.00 a Stream 22 lb. wide cor. N. E.
 5.50 a Do. 20 " " " " N.
 10.80 a Do. 22 " " " " N. E.
 15.11 a Beech 26 in. diam.
 40.00 Set q. sec. post, from which
 a Sugar 12 in. dia. bears East, 5 lb. dist.
 a Hickory 10 " " " North 52 " "
 45.24 an Elm 36 in. diam.
 69.40 a Poplar 12 in. "
 80.00 Set post for cor. To Sec. 15, 16, 21 & 22
 a H. Oak 50 in. dia. bears S 32 E, 11 lb. &
 a Dogwood 7 " " " N 35 W, 7 "
 Land, —

East On Random between Sec. 15 & 22.

40.00 Set q. sec. post, from which
 Lem p. y. Post.
 47.06 a Branch 23 lb. wide Course N.
 68.00 a Do. 48 " " " " N.
 80.00 Intersect E. line 44 lb. N. of post.
 Land, —

West correct the line bet. Sec. 15 & 22.

40.00 Set q. sec. post, from which
 a Poplar 10 in. diam. bears N 85 E, 23 lb.
 a H. Oak 10 " " " N 78 W, 16 "
 80.00 sec. cor.

North Between Sec. 15 & 16.

26.07 a Beech 18 in. diam.

T. L. N. Sec. 10 & 2nd Mer. Ind.

40.00 Set of sec. post, from which
a Beech 20 in. dia. bears S 44° W. 15 lb. dist. &
a Poplar 10 " " " N 66° E. 19 " "
44.07 a Do. 12 " "
54.50 a Stream 30 lb. wide crs. N. W.
75.15 an Elm 12 in. diam.
80.00 Set post, loc. To Sec. 9, 10, 15 & 16, fr. wh.
an Elm 6 in. dia. bears S 77° W. 17 lb. dist. &
a Wh. Oak 9 in. " " N 2° W. 26 " "
Land, —

East On Random bet. Sec. 10 & 15.
34.50 a Branch 30 lb. wide crs. N. E.
35.80 a Do. 32 " " " S. E.
40.00 Set of sec. post, Temp. Y.
75.48 a Stream 35 lb. wide crs. N.
80.08 Intersect E. line 30 lb. N. of post
Land, —

West Correct line bet. Sec. 10 & 15.
40.04 Set of sec. post, from which
a Hickory 3 in. dia. bears S 71° E. 28 lb. dist.
a Beech 12 " " " West, 30 " "
80.08 Sec. loc.

North Between Sec. 9 & 10.
13.83 a Sugar 12 in. dia.
40.00 Set of sec. post, from which
a Beech — in. dia. bears S 35° W. 1 lb. dist.
an Ironwood 7 in. " " N 15° W. 28 " "
64.15 a Poplar 6 in. diam.
74.42 a W. Oak 12 in. diam.
80.00 Set post, loc. To Sec. 3, 4, 9 & 10, fr. wh.
a Beech 21 in. dia. bears S 10° E. 142 lb. dist. &
an Ironwood 6 in. dia. " " N 15° W. 32 " "
Land, —

T. 27 N. Sp. 10 E. 2nd Mps. Indiana.

East On Random bet. Sec. 3 & 10.

40.00 Set gn. sec. post. Temp 4.

a B. Oak 6 in. diam. bears N 15 W. 60 lb.

a Maple 12 " " " N 64 W. 70 "

48.15 Intersect Res. line 59 ch. N. of S. W.

Cor. of Reserve & Set post, fr. wh.

a Dogwood 4 in. dia. bears S 62 W. 21 lb. dist.

a Bb. Ash 12 " " " N 63 E. 16 " "

Land, m

North Between Sec. 3 & 4.

15.16 a Beech 28 in. dia.

15.30 a Branch 30 lb. wide crs. W.

36.00 a Sugar 15 in. diam.

40.00 Set gn. sec. post, from which
a Beech 15 in. diam. bears S 34 W. 13 lb.
an Ironwood 8 in. dia. " N 4 E. 23 "

50.00 a Sugar 14 in. dia.

69.40 a Buckeye 12 in. "

75.50 Bye (ch) 80

82.00 To W. River & set post, from which
(Cor. to sec. 3 & 4.)

a Buckeye 10 in. dia. bears S 4 E. 8 lb. dist.

a Blackberry 10 in. dia. " S 1 W. 14 " "

3 ch. over River, Cor. on Town line
in River &c. & 50 lb. East of bearing
trees.

Land, level & rich.

Sept. 28th 1820.

North Between Sec. 32 & 33.

24.50 a Branch 20 lb. wide crs. N. W.

40.00 Set gn. sec. post, from which
a Beech 28 in. dia. bears N 2 E. 37 lb. dist.
a Db. 12 " " " South, 13 " "

47.16 a B. Oak 48 in. diam.

T. 27 N. R. 10 E, 2nd Mer. Indiana

69.84 an Elm 36 in. dia.

80.00 Set post, cor. To sec. 28, 29, 32 & 33, fr. wh.
a Beech 12 in. dia. bears S 35 E, 11 lb. dist. &
a Hickory 10 " " " N 7 W, 7 " "

East On Random Between Sec. 28 & 33.

40.00 Set Temp. y. gr. sec. post.

79.60 Intersect E. line at post.
Land &c.

West Correct line bet. Sec. 28 & 33.

39.80 Set gr. sec. post, from which
an Ironwood 7 in. diam. bears N 7 E, 32 lb.
a Beech 14 in. dia. bears S 70 W, 16 lb. dist.

79.60 sec. cor.

North Between Sec. 28 & 29.

21.57 a S. Oak 24 in. diam.

40.00 Set gr. sec. post, from which
a Bl. Ash 4 in. dia. bears S 10 E, 10 lb. dist. &
a Dogwood 4 " " " N 5 W, 36 " "

54.04 an Elm 24 in. diam.

69.53 a Poplar 18 " "

80.00 Set post, cor. To Sec. 20, 21, 28 & 29.
a S. Ash 12 in. dia. bears S 4 W, 9 lb. dist. &
a B. Oak 30 " " " N 6 W, 36 " "
Land, ~

East On Random bet. Sec. 28 & 28.

40.00 Set gr. sec. post, of Temp. y.

79.90 Intersect E. line 10 lb. S. of post.
Land &c. ~

West Correct line bet. Sec. 21 & 28.

39.95 Set gr. sec. post, from which
a Red Oak 24 in. dia. bears S 30 W, 9 lb. dist.

T. 27 N. R. 10 E. 2nd Mer. Indiana.

Ch. 2nd a S. Ash 10 in. diam. bears N 60 E. 29 lb. dist.
79.90 Sec. Cor.

North Between Sec. 20 & 21.

18.25 a Sycamore 24 in. diam.

40.00 Set gr. Sec. post, from which
a Beech 15 in. diam. bears S 44 W. 44 lb. dist.
a Do. 12 " " " North 19 " "

48.75 a Do. 16 " "

72.25 a Do. 5 " "

80.00 Set post, cor. To Sec. 16, 17, 20 & 21, f. wh.
a Beech 20 in. diam. bears S 94 W. 33 lb. dist. &
a Do. 13 " " " N. 55 E. 29 " "
Land, in Sept. 29th 1820.

East on Random bet. Sec. 16 & 21.

40.00 Set gr. Sec. post.

47.00 a Stream 22 lb. wide crs. N. W.

79.95 Intersected E. line 20 lb. S. of post.

Land, in

West corner line bet. Sec. 16 & 21.

39. 97 $\frac{1}{2}$ Set gr. Sec. post, from which
a Sugar 24 in. diam. bears N 82 E. 19 lb. dist.
a R. Oak 40 " " " S 70 W. 31 " "

79.95 Sec. Cor.

North Between Sec. 16 & 17.

20.48 a Beech 12 in. diam.

40.00 Set gr. Sec. post, from which
a Red Oak 18 in. diam. bears S 12 E. 54 lb. dist.
a Hickory 4 " " " N 55 W. 21 " "

60.06 a Bl. Ash 22 " "

71.00 Wet Prairie

79.50 Left Do.

80.00 Set post, cor. To Sec. 8, 9, 16 & 17, f. wh.

T. 27 N. R. 10 E. 2nd Mer. Indiana.

Ch. Lk. a Bl. Oak 5 in. dia. bearing S 46° W. 12 lb. dist. &
 a Walnut 12 in. " " N 8 E. 22 " "
 Land, ~

East On Random Bet. Sec. 9 & 16.

2.50 Prairie.

40.00 Set Lumpy. gr. Sec. post.

70.00 Left. Prairie.

80.00 Intersect E. line 15 S. of post.

Land, ~

West Correct line Bet. Sec. 9 & 16.

40.00 Set gr. Sec. post,
 no bearing trees.

North Between Sec. 8 & 9.

23.50 Entered Swamp

36.50 Left Do.

39.70 a Hickory 20 in. diam.

40.00 Set gr. Sec. post, from which
 a Hickory 20 in. dia. bearing South 30 lb.
 & a N. Oak 24 " " " N 36 E. 17 "

72.75 an Elm 20 in. diam.

80.00 Set post, cor. to Sec. 4, 5, 8 & 9, from wh.
 a Beech 18 in. diam. bearing N 2 W. 23 lb. dist.

a Do. 12 " " " N 46 E. 18 " "

Land, ~

East On Random Bet Sec. 4 & 9.

40.00 Set Lumpy. gr. Sec. post

80.10 Intersect E. line 10 lb. S. of post.

Land, - - -

West Correct line Bet. Sec. 4 & 9.

40.05 set gr. Sec. post, from which
 a Sugar 20 in. diam. bearing S 2 W. 12 lb.

T. 27 N. Sec. 10 W. 2^d. Mer. Indiana.

Ch^p. Lk. a Sugar 8 in. dia. bears N 60 E, 49 Ch. dist. &
80.10 Sec. Cor.

North Between Sec. 4 & 5.

16.00 an Ash 10 in. diam.

25.65 a Stream 10 Ch. wide cor. N. E.

35.20 a wh. Oak 20 in. dia.

40.00 Set gr. Sec. post, from which
a Red Oak 4 in. dia. bears S 4 N. 9 Ch. dist.
a Spruce 24 " " " N 16 E, 43 " "

82.92 Intersected N. Boundary of Township
275 Ch. E. of post, & Set post, cor.

To Sec. 4 & 5. from which
a Beech 12 in. diam. bears S 8 E, 12 Ch. &
a Do. 10 " " " N 7 E, 22 "
Land, ~

North Between Sec. 31 & 32.

20.97 a Bl. Ash 24 in. diam.

32.65 a Beech 18 in. diam.

40.00 Set gr. Sec. post, from which
a Hawthorn 4 in. dia. bears S 6 N, 15 Ch.
a B^r. Oak 16 " " " N 32 W, 16 "

55.00 a B^r. Oak 42 in. diam.

60.90 a Buckeye 12 " "

80.00 Set post, cor. To Sec. 29, 30 & 31 & 32,
a Beech, 18 in. diam. bears S 10 E, 45 Ch. &
a Sugar 21 " " " N 2 W, 36 "

Land, level & rich Little wet. in.
S. Ash, Oak, Beech & Hickory. ~
undergrowth, Ash, P. Ash, hornwood
& Spice. Sept. 30th 1820.

East On Random bet. Sec. 29 & 32.

40.00 Set Temp^y. Sec. post.

80.04 Intersected E. line 75 Ch. S. of post.

T. 27 N. R. 10 E. 2nd Mer. Indiana.

at. Sand &c, —

West Monroet line Bet. Sec. 29 & 32.

40.02 Set gr. sec. post, from which
 a Beech 21 in. dia. bears S 5 E, 19 lb. &
 a Bl. Ash 12 " " " N 80 W, 36 " dist
 Sand, &c, —

West Between Sec. 30 & 31.

7.00 an Elm 22 in. dia.

33.34 an Ash 18 " "

40.00 Set gr. sec. post, from which
 a Beech 20 in. diam. bears N 81 W, 15 lb. dist.
 a Bl. Ash 12 " " " S 9 E, 22 " "

64.63 a Bl. Ash 12 in. diam.

80.06 Intersected W. line 32 lb. N. of post
 & set post, cor. to Sec. 30 & 31. fr. wh.
 a H. Oak 36 in. dia. bears S 44 E, 2 lb. dist. &
 a S. Ash 8 " " " N 12 E, 16 " "
 Sand, —

North Between Sec. 29 & 30.

10.34 a Hickory 18 in. diam.

40.00 Set gr. sec. post, from which
 a Beech 5 in. diam. bears S 12 W, 16 lb. dist.
 a Do. 12 " " " N 36 E, 26 " "

44.63 a Hickory 16 in. diam.

73.38 a S. ash 6 " "

80.00 Set post, cor. to Sec. 19, 20, 29 & 30,
 a Beech 21 in. dia. bears S 21 W, 26 lb. dist. &
 a Hickory 14 " " " N 8 W, 16 " "

East on Random Bet. Sec. 20 & 29.

32.40 S. prairie

40.00 Set gr. sec. tem. post.

43.50 Left Prairie

T27N. R. 10 E. 2nd Mer. Indiana.

80.10 Intersect E. line 50 lb. S. of post.
Land, m

West Corner line bet. sec. 20 & 29.

40.05 Set gp. sec. post, from which
a Bl. Ash 30 in. diam. bears S 40° W, 16 lb. dist.
a Maple 12 in. diam. " S 8° E, 24 " "

80.10 Sec. cor.

West Between sec. 19 & 20.

15.18 a Wh. Oak 15 in. diam.

40.00 Set gp. sec. post, from which
a Hickory 8 in. diam. bears N 66° E, 11 lb. &
an Elm 12 in. " " S 63° W, 22 "

42.42 a Sycamore 48 in. diam.

80.10 Intersected Township line 30 lb. N. of
Post & Set post, cor. to sec. 19 & 20.
a Beech 12 in. diam. bears S 5° E, 12 lb. &
a Do. 8 " " " N 67° W, 56 "
Land, m

North Between sec. 19 & 20.

11.00 a Bl. Ash 20 in. diam.

40.00 Set gp. sec. post, from which
a Bl. Walnut 27 in. diam. bears S 11° W, 18 lb.
a Beech 18 in. diam. bears N 26° E, 34 "

51.06 an Elm 18 in. diam.

74.65 a Do. 18 " "

80.00 Set post, cor. to sec. 17, 18, 19 & 20,
from which

an Ironwood 4 in. diam. bears S 6° E, 5 lb.

a Do. 3 " " " N 39° W, 6 "

Land, m

East Between sec. 17 & 20. Random.

40.00 Set temporary gp. sec. post.

T. 27 N. R. 10 E. 2nd Mo. Indiana.

80.00 Intersect E. line 40th. S. of post.
Land, m

West corner line Rct. Sec. 17 & 20.
40.00 Set cor. sec. post. from which
an Elm 14 in. dia. bears S 42 E. 6 lb. dist.
a Bl. Ash 8 " " " N 42 W. 4 " "
80.00 Sec. cor.

West Between Sec. 18 & 19.
5.00 Entered Swamp
16.15 Left. Do.
17.58 a Syc 8 in. dia.
26.55 a Bl. Ash 18 in. dia.
40.00 Set cor. sec. post. from which
a Burr Oak 4 in. dia. bears N 75 E. 4 lb.
an Ironwood " " " S 70 W. 19. "
46.95 a H. Oak 24 in. diam.
80.18 Intersected W. line 35 lb. N. of post.
Set post. cor. to Sec. 18 & 19, fr. wh.
an Ironwood 3 in. dia. bears S 15 E. 7 lb.
a Do. 4 " " " " N 49 W. 56 "
Land, m

North Between Sec. 17 & 18.
14.46 a S. Ash 18 in. diam.
40.00 Set cor. sec. post. from which
a Burr Oak 20 in. dia. bears S 20 E. 5 lb.
a Cottonwood 24 " " " N 2 E. 36 "
44.54 a Bl. Ash 24 in. diam.
80.00 Set post. cor. to Sec. 7, 8, 17 & 18,
a S. Ash 10 in. dia. bears S 10 W. 22 lb.
a Burr Oak 23 in. dia. " N 27 E. 8 "
Land, m

East on Random Between Sec. 17 & 8.

T. 27 N. R. 10 E. 2nd Mer. Indiana.

40.00 Set dump y. gr. sec. post,
80.14 Intersect E. line 12 lb. S. of post.
Land, ~

West corner line Bet. Sec. 8 & 17.
40.07 set gr. sec. post. from which
a Beech 2.7 in. dia. bears N 48 W, 16 lb. dist.
an Ironwood 6 in. dia. " S 74 E 33 " "
Oct. 1st 1823.

West Between Sec. 7 & 18.
39.84 a Poplar 18 in. diam.
40.00 Set gr. sec. post. from which
an Ironwood 4 in. diam. bears N 34 E, 2 lb.
a Do. 3 " " " S 5 W, 2 "
43.91 a Beech 21 in. diam.
80.40 Intersected W. line 40 lb. N. of post
& set post. cor. to Sec. 7 & 18, fr. wh.
a Beech 4 in. dia. bears N 72 E, 40 lb. dist.
a Do. 9 " " " S 6 W, 50 " "
Land, ~

North Between Sec. 7 & 8.
21.42 a Beech 18 in. diam.
40.00 set gr. sec. post. from which
a bl. Ash 15 in. dia. bears S 4 W, 45 lb. dist.
a Beech 10 " " " N 14 E, 7 " "
50.63 a Sycamore 24 in. diam.
71.55 a Poplar 18 in. diam.
80.00 Set post. cor. to Sec. 5, 6, 7 & 8,
an Ironwood 8 in. diam. bears S 6 E, 15 lb.
a Hickory 4 in. dia. bears N 10 E, 8 lb. dist.
Land, ~

East on Mound bet. Sec. 5 & 8.
40.00 Set dump y. gr. sec. post.

T. 27 N. R. 10 E. 2nd Men. Indiana.

80.20 Intersect E. line 20th M. S. of post.
Land, in

West Correct the line bet. Sec. 5 & 8.

40.10 Set gr. sec. post. from which
an Ironwood 4 in. dia. bears N 79 W. 26th lb.
a Wh. Oak 42 in. dia. " East, 7 "

80.20 Sec. Cor.

West Between Sec. 6 & 7.

21.63 a Burr Oak 15 in. diam.

40.00 Set gr. sec. post. from which
an Elm 15 in. dia. bears S 20 E. 16th lb. dist. &
a Do. 18 " " " N 32 W. 7 " "

65.61 a Bl. Ash 24 in. diam.

73.55 a Beech 18 in. diam.

83.62 Intersect N. Boundary 1 ch. & 63 lb.
N. of post & set post cor. to Sec.
6 & 7, from which
a Beech 18 in. dia. bears S 6 E. 32th lb. dist.
a Do. 18 " " " N 5 W. 5 " "
Land, in as before.

North Between Sec. 5 & 6.

21.64 a Sugar 18 in. dia.

40.00 Set gr. sec. post. from which
a Beech 24 in. dia. bears South 9 lb.
a Do. 24 " " " N 14 W. 20 "

50.55 a Wh. Oak 20 in. diam.

54.25 a Stream 20 lb. wide cor. S. E.

68.23 a Do. 22 " in diam. " N. W.

74.05 Intersected N. Boundary line 2 ch.

83.50 E. of post & set post cor. to sec. 5 & 6.
a Sugar 5 in. diam. bears S 22 W. 17 lb. dist.
a Sugar 5 " " " N 21 W. 33 " "

Land 1st half mile as East. 2nd 1/2

95

T. 27 N. 10 E. 2nd Mer. Ind.

Ch. 4th mile thick & rich &c. The land in this Township is generally level and a little wet. Oct. 2nd 1823.

Meanders of the Wabash River —
Beginning at post on the Town
line S. E. side of the River —
Thence up the same.

Courses Ch. 4th

S62E 5.23

S61E 3.67

S65E 5.80

S71E 4.69

S74E 2.54

S31E 3.50

S82E 6.36

S75E 5.78

Oct. 14th 1823.

350 Ch. a stream 17 Ch. wide
Course South.

S86E 3.73

East 4.63

N70E 2.66

N52E 4.70

N67E 3.56

N46E 2.42

N54E 3.13

at 250 a stream 30 Ch. wide S.W

Intersected Sec. line at post
bet. Sect. 3 & 4. at 117 a Bayou
60 Ch. wide

Intersected Town. line at post

upper end of Island

N37E 3.73

S53E 2.28

S56E 2.12

S64E 3.40

East 7.53

N80E 5.00

S83E 5.28

S69E 4.61

N70E 6.66

T. 27 N. R. 10 E. 2nd Mer. Indiana.

houses. No. 40.

N 77° E 4.07

East 0.54.

Intersect Indian Reserve at
post on the run

Beginning at post between
Sec. 1 & 12 on Township 12
N. E. side of the Wabash
River, thence down the
same.

N 38° W 2.14

N 44° W 4.79

N 37° W 3.35

N 19° W 2.56

N 30° W 8.00

N 21° W 3.57

N 15° W 5.25

N 18° W 3.56

N 44° W 6.23

N 60° W 11.56

West 5.00

S 54° W 2.68

S 33° W 5.12

S 12° W 8.00

S 9° W 2.15

S 16° W 6.05

S 20° W 3.00

S 42° W 2.82

S 58° W 4.18

S 80° W 6.15

S 70° W 6.00

S 48° W 3.15

S 26° W 2.16

S 35° W .56

S 63° W 1.36

S 57° W 1.60

upper end of Island.
Lower end of Do.

upper end of Island.

T. 27 N. R. 10 E. 2nd Mer. Indiana.

Lower end of Island.

N 43° W 5.78

N 80° W 3.93

Intersection see line bet
Sec. 1 & 2.

N 67° W 5.93

N 57° W 4.74

N 53° W 4.91

N 42° W 1.85

Lower end of Island.

N 84° W 2.78

N 79° W 4.02

N 86° W 4.19

N 85° W 3.00

N 57° W 3.00

N 35° W 4.58

at 5 ch. upper end of Island

N 42° W 8.00

N 50° W 13.91

N 55° W 12.07

N 63° W 2.07

Lower end of Island
upper end of Do.

N 46° W 7.64

N 12° W 6.82

N 27° W 3.54

N 34° W 2.53

N 40° W 2.92

N 75° W 2.00

Intersect see line between
Sec. 2 & 3.

N 62° W 4.71

N 68° W 1.45

N 34° W 3.35

N 13° W 1.42

N 18° W 5.81

N 38° W 4.00

N 40° W 4.60

To Township line at post
To Sec. 34.

Surveyed in 1823 by

David Willis D. S.

T. 27 N. R. 10 E. 2nd Mer. Indiana.

East subdivision 1/2 within the Reserve
Between Sec. 3 & 10

from West Boundary of the Two
mile square at the mouth of
Flat Rock Creek.

10.85 a Wh. Oak 40 in. diam.

17.39 Intersect W. Boundary of Grant
36 to John B. Nicherville & set post
from which
an Ash 12 in. dia. bears N 20 E. 51 Ch. dist. &
a Do. 14 " " " S 17 E. 41 " "
Measured North along the West
Boundary of S. Grant 65.76 to the
N. W. Cor. of S. Grant on the left
Bk. of the Wabash River.

Meanders of the Left Bk. of the
Wabash River. Beginning at the
N. W. Cor. of the ^{Res.} of two miles
square at the mouth of Flat
Rock Creek.

Thence up Stream

Courses. Ch. Lk.

S 72 E 4.00 In Sec 3.

S 47 E 8.00

S 38 E 3.50

S 18 E 11.24

at N. W. Cor. of Grant No.
26 to J. B. Nicherville.

Survey commenced on the 3rd day of
Sept. 1839 & completed on the
same day by

C. Carter

Dep. Sur.

T. 27 N. R. 10 E. 2nd Mer. Indiana.

I certify that the foregoing transcript of the field notes of Township 27 North Range 10 E. of the 2nd Mer. in Indiana, has been compared with the Original in this Office and found to be correct.

William Johnston
 Surveyor General's Office } Sur. Genl.
 Cincinnati, Oct. 5th 1844.)